

Cim 80A

BRASS SWING CHECK VALVE - RENEWABLE EPDM SEAT - PN 16



This article was made in compliance with the quality management requirements of ISO 9001 standard. All articles are tested according to the EN 12266-1 standard.

It is used in a wide variety of sectors for non-return piping systems: heating, drinking water, air conditioning, sanitary systems and generally with any non corrosive liquid.

It is guaranteed for 5 years.


It is made of a brass alloy that complies with standard EN 1982-CC754S.


Nominal Pressure: PN16

Operating temperature: -10 ÷ 95°C

FLOW AND PRESSURE DROP

PRESSURE TEMPERATURE RATINGS





Notes:

1 l/min = 0.06 m3/h

1 m3/h = 16,67 l/min

1 bar = 10.000 mm w.c.

1 psi = 690 mm w.c.

Notes:

1 bar = 14,5 psi


1 bar = 14,5 lbf/in2

 $^{\circ}C = 5/9 \times (^{\circ}F-32)$

 $^{\circ}F = 32 + (9/5 \times ^{\circ}C)$



TECHNICAL DRAWING



DN	2"1/2	3"	4''
Grms.	2250	3300	5850
В	80	90	113
С	120,5	136	170
D	24	31,5	24,5
СН	85	100	127
CH1	65	75	89

Thread: ISO 228

Upon request: ANSI B.1.20.1 - NPT

TECHNICAL CHARACTERISTICS

KV				
DN	2"1/2	3"	4"	
KV	222	360	540	

KV = Flow rate in m³/h with a pressure drop of 1 bar

REACH Regulation

According to article 33 of REACH Regulation, we inform you that the components made of bronze and brass alloys that are parts of the articles we supply, contain the lead (as alloy component) in a higher quantity of the limit of 0,1% in weight. Lead has been inserted in the list of SVHC substances nominated for the authorisation process, in the updating published by the European Chemical Agency ECHA on 27th June 2018. Lead has been introduced with the following information:

Substance: LeadCAS: 7439-92-1EC: 231-100-4List: SVHC

Data of Inclusion: 27th June 2018

Since lead is an element of the alloy, no exposure is expected and consequently, no further information is requested for the safe use of this product.

The list is available at the following link: https://echa.europa.eu/it/candidate-list-tableand since it is a continuously updated list, we declare the constant monitoring about insertion of new substances and the prompt on time information to our customers in case such substances should be contained in the products we supply.

Make sure product materials and features are suitable for system scope and conform to the local regulations in force

OUR CERTIFICATIONS











